



Butts Grove Way
Huntingdon
PE29 1PE

Headteacher: Mr D Jones
www.thongsleyfields.org

Thongsley Fields Primary & Nursery School

Health & Safety

Local Procedures

Safeguarding

Version: 3

Reviewed: April 2025



Thongsley Fields Primary & Nursery School
Local Health & Safety Procedures

1. Aims

Our school aims to:

- Provide and maintain a safe and healthy environment
- Establish and maintain safe working procedures amongst staff, pupils and all visitors to the school site
- Have robust procedures in place in case of emergencies
- Ensure that the premises and equipment are maintained safely, and are regularly inspected

2. Legislation

Our local procedures should be read in conjunction with the Trust policy for Health & Safety which is based on relevant legislation and guidance.

3. Roles and responsibilities

3.1 The Academy Trust

The Trust must take reasonable steps to ensure that staff and pupils are not exposed to risks to their health and safety. This applies to activities on or off the school premises and includes the duty to:

- Assess the risks to staff and others affected by school activities in order to identify and introduce the health and safety measures necessary to manage those risks
- Inform employees about risks and the measures in place to manage them
- Ensure that adequate health and safety training is provided

Although the Trust retains responsibility for health and safety matters in the school, it delegates day-to-day responsibility for the implementation of the policy and local procedures to the Headteacher.

3.2 Headteacher

The Headteacher is responsible for the day-to-day health and safety in school. This involves:

- Implementing the health and safety policy and local procedures
- Ensuring there is enough staff to safely supervise pupils
- Ensuring that the school building and premises are safe and regularly inspected
- Providing adequate training for school staff
- Reporting to the governing board on health and safety matters
- Ensuring appropriate evacuation procedures are in place and regular fire drills are held
- Ensuring that in their absence, health and safety responsibilities are delegated to another member of staff
- Ensuring all risk assessments are completed and reviewed

Thongsley Fields Primary & Nursery School
Local Health & Safety Procedures

- Monitoring cleaning contracts, and ensuring cleaners are appropriately trained and have access to personal protective equipment, where necessary.

In the Headteacher's absence, the Deputy Headteacher or other delegated member of the Leadership Team assumes the above day-to-day health and safety responsibilities.

3.3 Health and safety lead

The nominated health and safety lead is the school's caretaker.

3.4 Staff

School staff have a duty to take care of pupils in the same way that a prudent parent would do so. Staff will:

- Take reasonable care of their own health and safety and that of others who may be affected by what they do at work
- Co-operate with the school on health and safety matters
- Work in accordance with training and instructions
- Inform the appropriate person of any work situation representing a serious and immediate danger so that remedial action can be taken
- Model safe and hygienic practice for pupils
- Understand emergency evacuation procedures and feel confident in implementing them

3.5 Pupils and parents

Pupils and parents are responsible for following the school's health and safety advice, on-site and off-site, and for reporting any health and safety incidents to a member of staff.

3.6 Contractors

Contractors will agree health and safety practices with the Headteacher before starting work. Before work begins, the contractor will provide evidence that they have completed an adequate risk assessment of all their planned work.

4. Site security

The school's caretaker is responsible for the security of the school site in and out of school hours. They are responsible for visual inspections of the site, and for the intruder and fire alarm systems.

The school's caretaker, Headteacher and Deputy Headteacher are key holders and will respond to an emergency, normally in that order.

5. Fire

Thongsley Fields Primary & Nursery School
Local Health & Safety Procedures

- Emergency exits, assembly points and assembly point instructions are clearly identified by safety signs and notices. Fire risk assessment of the premises will be reviewed regularly.
- Emergency evacuations are usually practised once a term.
- The fire alarm is a loud continuous buzzer.
- Fire alarm testing will take place once a week.
- New staff will be trained in fire safety and all staff and pupils will be made aware of any new fire risks.

In the event of a fire:

- The alarm will be raised immediately by whoever discovers the fire and emergency services contacted. Evacuation procedures will also begin immediately.
- Fire extinguishers may be used by staff only, and only then if staff are trained in how to operate them and are confident that they can use them without putting themselves or others at risk.
- Staff and pupils will congregate at the assembly points. These are the hard standing towards the front of the school; the KS1 playground; and the lower KS2 playground.
- Class teachers will take a register of pupils, which will then be checked against the attendance register of that day.
- The Office Manager will take a register of all staff & visitors.
- Staff and pupils will remain outside the building until the emergency services (or Headteacher in the absence of an emergency situation) say it is safe to re-enter.

The school will make individual arrangements for the evacuation of people with mobility needs and fire risk assessments will also pay particular attention to those with disabilities.

6. COSHH

Schools are required to control hazardous substances, which can take many forms, including:

- Chemicals
- Products containing chemicals
- Fumes
- Dusts
- Vapours
- Mists
- Gases and asphyxiating gases
- Germs that cause diseases, such as leptospirosis or legionnaires disease

Control of substances hazardous to health (COSHH) risk assessments are completed by the caretaker and circulated to all employees who work with hazardous substances. Staff will also be provided with protective equipment, where necessary.

Thongsley Fields Primary & Nursery School
Local Health & Safety Procedures

Our staff use and store hazardous products in accordance with instructions on the product label. All hazardous products are kept in their original containers, with clear labelling and product information.

Any hazardous products are disposed of in accordance with specific disposal procedures.

Emergency procedures, including procedures for dealing with spillages, are displayed near where hazardous products are stored and in areas where they are routinely used.

7. Equipment

- All equipment and machinery is maintained in accordance with the manufacturer's instructions. In addition, maintenance schedules outline when extra checks should take place.
- When new equipment is purchased, it is checked to ensure that it meets appropriate educational standards.
- All equipment is stored in the appropriate storage containers and areas. All containers are labelled with the correct hazard sign and contents.

7.1 Electrical equipment

- All staff are responsible for ensuring that they use and handle electrical equipment sensibly and safely.
- Any pupil or volunteer who handles electrical appliances does so under the supervision of the member of staff who so directs them.
- Any potential hazards will be reported immediately to the caretaker or, in their absence, the Office Manager.
- Permanently installed electrical equipment is connected through a dedicated isolator switch and adequately earthed.
- Only trained staff members can check plugs.
- Where necessary a portable appliance test (PAT) will be carried out by a competent person.
- All isolator switches are clearly marked.
- Electrical apparatus and connections will not be touched by wet hands and will only be used in dry conditions.
- Maintenance, repair, installation and disconnection work associated with permanently installed or portable electrical equipment is only carried out by a competent person.

7.2 PE equipment

- Pupils are taught how to carry and setup PE equipment safely and efficiently. Staff check that equipment is setup safely before use.
- Any concerns about the condition of floor or other apparatus will be reported to the caretaker.

7.3 Specialist equipment

- Where appropriate, parents are responsible for the supply, maintenance and safety of their children's wheelchairs. In school, staff promote the responsible use of wheelchairs.

8. Lone working

Lone working may include:

- Late working
- Home or site visits
- Weekend working
- Caretaking duties
- Site cleaning duties
- Working in a single occupancy office

Potentially dangerous activities, such as those where there is a risk of falling from height, will not be undertaken when working alone. If there are any doubts about the task to be performed, then the task will be postponed until other staff members are available.

If lone working is to be undertaken, a colleague, friend or family member will be informed about where the member of staff is and when they are likely to return.

The lone worker will ensure that they are medically fit to work alone.

9. Working at height

We will ensure that work is properly planned, supervised and carried out by competent people with the skills, knowledge and experience to do the work.

In addition:

- The caretaker retains ladders for working at height.
- Pupils are prohibited from using ladders.
- Staff will wear appropriate footwear and clothing when using ladders.
- Contractors are expected to provide their own ladders for working at height.
- Before using a ladder, staff are expected to conduct a visual inspection to ensure its safety.
- Access to high levels, such as roofs, is only permitted by trained persons.

10. Manual handling

It is up to individuals to determine whether they are fit to lift or move equipment and furniture. If an individual feels that to lift an item could result in injury or exacerbate an existing condition, they will ask for assistance.

Thongsley Fields Primary & Nursery School
Local Health & Safety Procedures

The school will ensure that proper mechanical aids and lifting equipment are available in school, and that staff are trained in how to use them safely.

Staff and pupils are expected to use the following basic manual handling procedure:

- Plan the lift and assess the load. If it is awkward or heavy, use a mechanical aid, such as a trolley, or ask another person to help.
- Take the more direct route that is clear from obstruction and is as flat as possible.
- Ensure the area where you plan to offload the load is clear.
- When lifting, bend your knees and keep your back straight, feet apart and angled out. Ensure the load is held close to the body and firmly. Lift smoothly and slowly and avoid twisting, stretching and reaching where practicable

11. Off-site visits

When taking pupils off the school premises, we will ensure that:

- Risk assessments will be completed where off-site visits and activities require them.
- All off-site visits are appropriately staffed.
- Staff will ensure that they have access to a mobile phone (contactable by the school), a portable first aid kit, information about the specific medical needs of pupils along with access to parents' contact details.
- There will always be at least one first aider on school trips and visits.
- For trips and visits involving children in the *Early Years Foundation Stage*, there will always be at least one first aider with a current paediatric first aid certificate on school trips and visits, as required by the statutory framework for the Early Years Foundation Stage.

12. Lettings

This policy applies to lettings. Those who hire any aspect of the school site or any facilities will be made aware of the content of the school's health and safety policy and will have responsibility for complying with it.

13. Violence at work

We believe that staff should not be in any danger at work and will not tolerate violent or threatening behaviour towards our staff.

All staff will report any incidents of aggression or violence (or near misses) directed to themselves to their line manager/Headteacher immediately. This applies to violence from pupils, visitors or other staff.

14. Smoking

Smoking (including the use of vapes) is not permitted anywhere on the school premises.

15. Infection prevention and control

We follow national guidance published by the UK Health Security Agency and Office for Health Improvement and Disparities when responding to infection control issues. We will encourage staff and pupils to follow this good hygiene practice, outlined below, where applicable.

15.1 Handwashing

- Wash hands with liquid soap and warm water, and dry with paper towels.
- Always wash hands after using the toilet, before eating or handling food, and after handling animals.
- Cover all cuts and abrasions with waterproof dressings.

15.2 Coughing and sneezing

- Cover mouth and nose with a tissue.
- Wash hands after using or disposing of tissues.
- Spitting is discouraged.

15.3 Personal protective equipment

- Wear disposable non-powdered vinyl or latex-free CE-marked gloves and disposable plastic aprons where there is a risk of splashing or contamination with blood/body fluids (for example, nappy or pad changing).
- Wear goggles if there is a risk of splashing to the face.
- Use the correct personal protective equipment when handling cleaning chemicals.

15.4 Cleaning of the environment

- Clean the environment, including toys and equipment, frequently and thoroughly.

15.5 Cleaning of blood and body fluid spillages

- Clean up all spillages of blood, faeces, saliva, vomit, nasal and eye discharges immediately and wear personal protective equipment.
- When spillages occur, clean using a product that combines both a detergent and a disinfectant and use as per manufacturer's instructions. Ensure it is effective against bacteria and viruses and suitable for use on the affected surface.
- Never use mops for cleaning up blood and body fluid spillages – use disposable paper towels and discard clinical waste as described below.
- Make spillage kits available for blood spills.

15.6 Laundry

- Wash laundry in a separate dedicated facility.
- Wash soiled linen separately and at the hottest wash the fabric will tolerate.
- Wear personal protective clothing when handling soiled linen.
- Bag children's soiled clothing to be sent home, never rinse by hand.

15.7 Clinical waste

- Always segregate domestic and clinical waste, in accordance with local policy.
- Used nappies/pads, gloves, aprons and soiled dressings are stored in correct clinical waste bags in foot-operated bins.
- Remove clinical waste with a registered waste contractor.
- Remove all clinical waste bags when they are two-thirds full and store in a dedicated, secure area while awaiting collection.

15.8 Animals

- Wash hands before and after handling any animals.
- Keep animals' living quarters clean and away from food areas.
- Dispose of animal waste regularly and keep litter boxes away from pupils.
- Supervise pupils when playing with animals.
- Seek veterinary advice on animal welfare and animal health issues, and the suitability of the animal as a pet.

15.9 Pupils vulnerable to infection

Some medical conditions make pupils vulnerable to infections that would rarely be serious in most children. The school will normally have been made aware of such vulnerable children. These children are particularly vulnerable to chickenpox, measles or slapped cheek disease (parvovirus B19) and, if exposed to either of these, the parent/carer will be informed so that further medical advice can be sought. We will advise these children to have additional immunisations, for example for pneumococcal and influenza.

15.10 Exclusion periods for infectious diseases

In the event of an epidemic/pandemic, we will follow advice from Public Health England about the appropriate course of action.

16. New and expectant mothers

Risk assessments will be carried out whenever any employee or pupil notifies the school that they are pregnant.

Appropriate measures will be put in place to control risks identified. Some specific risks are summarised below:

- Chickenpox can affect the pregnancy if a woman has not already had the infection. Expectant mothers should report exposure to antenatal carer and GP at any stage of exposure. Shingles is caused by the same virus as chickenpox, so anyone who has not had chickenpox is potentially vulnerable to the infection if they have close contact with a case of shingles.
- If a pregnant woman comes into contact with measles or German measles (rubella), she should inform her antenatal carer and GP immediately to ensure investigation.
- Slapped cheek disease (parvovirus B19) can occasionally affect an unborn child. If exposed early in pregnancy (before 20 weeks), the pregnant woman should inform her antenatal care and GP as this must be investigated promptly.

17. Accident reporting

17.1 Accident record book

- An accident/incident and/or first aid form will be completed as soon as possible after the accident occurs by the member of staff or first aider who deals with it.
- As much detail as possible will be supplied when reporting an accident/incident.
- Information about injuries requiring further medical treatment will also be kept in the pupil's educational record (ScholarPack).
- Records held in the first aid and accident books (and online records) will be retained by the school for a minimum of 3 years, in accordance with regulation 25 of the Social Security (Claims and Payments) Regulations 1979, and then securely disposed of.

17.2 Reporting to the Health and Safety Executive

The Office Manager will keep a record of any accident which results in a reportable injury, disease, or dangerous occurrence as defined in the RIDDOR 2013 legislation (regulations 4, 5, 6 and 7).

The Office Manager will report these to the relevant Trust officers and Health & Safety Executive as soon as is reasonably practicable.

Reportable injuries, diseases or dangerous occurrences include:

- Death
- Specified injuries. These are:
 - Fractures, other than to fingers, thumbs and toes
 - Amputations
 - Any injury likely to lead to permanent loss of sight or reduction in sight
 - Any crush injury to the head or torso causing damage to the brain or internal organs

Thongsley Fields Primary & Nursery School
Local Health & Safety Procedures

- Serious burns (including scalding)
- Any scalping requiring hospital treatment
- Any loss of consciousness caused by head injury or asphyxia
- Any other injury arising from working in an enclosed space which leads to hypothermia or heat-induced illness, or requires resuscitation or admittance to hospital for more than 24 hours
- Injuries where an employee is away from work or unable to perform their normal work duties for more than 7 consecutive days
- Where an accident leads to someone being taken to hospital
- Where something happens that does not result in an injury, but could have done
- Near-miss events that do not result in an injury, but could have done. Examples of near-miss events relevant to schools include, but are not limited to:
 - The collapse or failure of load-bearing parts of lifts and lifting equipment
 - The accidental release of a biological agent likely to cause severe human illness
 - The accidental release or escape of any substance that may cause a serious injury or damage to health
 - An electrical short circuit or overload causing a fire or explosion

Information on how to make a RIDDOR report is available here:

[How to make a RIDDOR report, HSE](http://www.hse.gov.uk/riddor/report.htm)
<http://www.hse.gov.uk/riddor/report.htm>

17.3 Notifying parents

The class teacher or other nominated person (e.g. Teaching Assistant) will inform parents of any accident or injury sustained by a pupil, and any first aid treatment given, on the same day, or as soon as reasonably practicable.

17.4 Reporting to Ofsted and child protection agencies

The Office Manager will notify Ofsted, the Local Authority and Academy Trust of any serious accident, illness or injury to, or death of, a pupil while in the school's care. This will happen as soon as is reasonably practicable, and no later than 14 days after the incident.

18. Training

Our staff are provided with health and safety training as part of their induction process.

Staff who work with pupils with special educational needs and/or disabilities (SEND), are given additional health and safety training as appropriate.

Thongsley Fields Primary & Nursery School
Local Health & Safety Procedures

Appendix 1

Recommended absence period for preventing the spread of infection

This list of recommended absence periods for preventing the spread of infection is taken from non-statutory guidance for schools and other childcare settings from Public Health England. For each of these infections or complaints, there [is further information in the guidance on the symptoms, how it spreads and some 'do's and don'ts' to follow that you can check.](#)

Infection or complaint	Recommended period to be kept away from school or nursery
Athlete's foot	None.
Campylobacter	Until 48 hours after symptoms have stopped.
Chicken pox (shingles)	Cases of chickenpox are generally infectious from 2 days before the rash appears to 5 days after the onset of rash. Although the usual exclusion period is 5 days, all lesions should be crusted over before children return to nursery or school. A person with shingles is infectious to those who have not had chickenpox and should be excluded from school if the rash is weeping and cannot be covered or until the rash is dry and crusted over.
Cold sores	None.
Rubella (German measles)	5 days from appearance of the rash.
Hand, foot and mouth	Children are safe to return to school or nursery as soon as they are feeling better, there is no need to stay off until the blisters have all healed.
Impetigo	Until lesions are crusted and healed, or 48 hours after starting antibiotic treatment.
Measles	Cases are infectious from 4 days before onset of rash to 4 days after so it is important to ensure cases are excluded from school during this period.
Ringworm	Exclusion not needed once treatment has started.
Scabies	The infected child or staff member should be excluded until after the first treatment has been carried out.
Scarlet fever	Children can return to school 24 hours after commencing appropriate antibiotic treatment. If no antibiotics have been administered the person will be infectious for 2 to 3 weeks. If there is an outbreak of scarlet fever at the school or nursery, the health protection team will assist with letters and factsheet to send to parents or carers and staff.
Slapped cheek syndrome, Parvovirus B19, Fifth's disease	None (not infectious by the time the rash has developed).
Bacillary Dysentery (Shigella)	Microbiological clearance is required for some types of shigella species prior to the child or food handler returning to school.
Diarrhoea and/or vomiting (Gastroenteritis)	Children and adults with diarrhoea or vomiting should be excluded until 48 hours after symptoms have stopped and they are well enough to return. If medication is prescribed, ensure that the full course is completed and there is no further diarrhoea or vomiting for 48 hours after the course is completed. For some gastrointestinal infections, longer periods of exclusion from school are required and there may be a need to obtain microbiological clearance. For these groups, your local health protection team, school health advisor or environmental health officer will advise. If a child has been diagnosed with cryptosporidium, they should NOT go swimming for 2 weeks following the last episode of diarrhoea.

Thongsley Fields Primary & Nursery School
Local Health & Safety Procedures

Cryptosporidiosis	Until 48 hours after symptoms have stopped.
E. coli (verocytotoxigenic or VTEC)	The standard exclusion period is until 48 hours after symptoms have resolved. However, some people pose a greater risk to others and may be excluded until they have a negative stool sample (for example, pre-school infants, food handlers, and care staff working with vulnerable people). The health protection team will advise in these instances.
Food poisoning	Until 48 hours from the last episode of vomiting and diarrhoea and they are well enough to return. Some infections may require longer periods (local health protection team will advise).
Salmonella	Until 48 hours after symptoms have stopped.
Typhoid and Paratyphoid fever	Seek advice from environmental health officers or the local health protection team.
Flu (influenza)	Until recovered.
Tuberculosis (TB)	Pupils and staff with infectious TB can return to school after 2 weeks of treatment if well enough to do so and as long as they have responded to anti-TB therapy. Pupils and staff with non-pulmonary TB do not require exclusion and can return to school as soon as they are well enough.
Whooping cough (pertussis)	A child or staff member should not return to school until they have had 48 hours of appropriate treatment with antibiotics and they feel well enough to do so or 21 days from onset of illness if no antibiotic treatment.
Conjunctivitis	None.
Giardia	Until 48 hours after symptoms have stopped.
Glandular fever	None (can return once they feel well).
Head lice	None.
Hepatitis A	Exclude cases from school while unwell or until 7 days after the onset of jaundice (or onset of symptoms if no jaundice, or if under 5, or where hygiene is poor. There is no need to exclude well, older children with good hygiene who will have been much more infectious prior to diagnosis.
Hepatitis B	Acute cases of hepatitis B will be too ill to attend school and their doctors will advise when they can return. Do not exclude chronic cases of hepatitis B or restrict their activities. Similarly, do not exclude staff with chronic hepatitis B infection. Contact your local health protection team for more advice if required.
Hepatitis C	None.
Meningococcal meningitis/ septicaemia	If the child has been treated and has recovered, they can return to school.
Meningitis	Once the child has been treated (if necessary) and has recovered, they can return to school. No exclusion is needed.
Meningitis viral	None.
MRSA (meticillin resistant Staphylococcus aureus)	None.
Mumps	5 days after onset of swelling (if well).
Threadworm	None.
Rotavirus	Until 48 hours after symptoms have subsided.